

SAFETY DATA SHEET

1. Identification

Cobra Hydraulic 32 **Product identifier**

Other means of identification Not available. Recommended use Lubricant **Recommended restrictions** None known

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Coastal Blending & Packaging Company name

Address PO Box 1169

Saint John, NB E2L 4E6

Canada

Telephone 1.800.574.5823 E-mail Not available.

1.800.424.9300 (CHEMTREC) **Emergency phone number**

See above. Supplier

2. Hazard identification

Physical hazards Not classified. Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified WHMIS 2015 defined hazards

Label elements

None. **Hazard symbol** Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Store away from incompatible materials. **Storage**

None known

Dispose of waste and residues in accordance with local authority requirements. Disposal

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

WHMIS 2015: Physical Hazard(s) not otherwise

classified (PHNOC)

classified (HNOC)

None known

Hazard(s) not otherwise None known.

Supplemental information Not applicable.

3. Composition/Information on ingredients

Mixture			
Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7	80-100*
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy		64742-70-7	80-100*

Composition comments US GHS: The exact percentage (concentration) of composition has been withheld as a trade

secret in accordance with paragraph (i) of §1910.1200.

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a

trade secret.

#30369 Page: 1 of 9 Issue date 05-October-2021

	4. First-aid mo	easures		
Inhalation	If symptoms develop move victim to	fresh air. If symptoms persist, c	btain medical attention.	
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.			
Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention immediately.			
Ingestion		e mouth. Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward ce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsi		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.			
Indication of immediate medical attention and special treatment needed	Treat symptomatically.			
General information	Ensure that medical personnel are a protect themselves.	aware of the material(s) involved	and take precautions to	
	5. Fire-fighting	measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical pov	der. Carbon dioxide.		
Unsuitable extinguishing media	Do not use water jet as an extinguis	iguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to hea	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.			
Specific methods	Use standard firefighting procedure	s and consider the hazards of ot	her involved materials.	
General fire hazards	No unusual fire or explosion hazard	s noted.		
Hazardous combustion products	May include and are not limited to: Oxides of carbon.	Oxides of nitrogen. Oxides of sul	fur. Oxides of phosphorus.	
	6. Accidental relea	se measures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away	. For personal protection, see se	ction 8 of the SDS.	
Methods and materials for containment and cleaning up	Stop the flow of material, if this is w	ithout risk.		
	Large Spills: Dike the spilled materi spreading. Absorb in vermiculite, dr recovery, flush area with water.			
	Small Spills: Wipe up with absorber remove residual contamination.	nt material (e.g. cloth, fleece). Cl	ean surface thoroughly to	
Environmental precautions	Never return spills to original contain Avoid discharge into drains, water of		sal, see section 13 of the SDS	
	7. Handling and	d storage		
Precautions for safe handling	Use good industrial hygiene practic clothing. When using do not eat or	es in handling this material. Avoi		
Conditions for safe storage, including any incompatibilities	Store in original tightly closed conta of the SDS). Keep out of reach of cl	iner. Store away from incompati		
	8. Exposure controls/Pe	ersonal protection		
Occupational exposure limits				
	upational Health & Safety Code, Sc Type	hedule 1, Table 2) Value	Form	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.	
para (0/10 01/ 12 01-1/)				

5 mg/m3

Mist.

TWA

Canada. Alberta OELs (Occupation Components	Туре	Value	Form
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy CAS 64742-70-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Canada. British Columbia OELs. (0 Safety Regulation 296/97, as amen		for Chemical Substances, C	Occupational Health and
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	1 mg/m3	Mist.
Canada. Manitoba OELs (Reg. 217 Components	/2006, The Workplace Safety A Type	nd Health Act) Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	TWA	5 mg/m3	Inhalable fraction.
Canada. Ontario OELs. (Control of Components	Exposure to Biological or Che Type	mical Agents) Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	TWA	5 mg/m3	Inhalable fraction.
Canada. Quebec OELs. (Ministry o Components	f Labor - Regulation respectinຸ Type	g occupational health and s Value	afety) Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
,	TWA	5 mg/m3	Mist.
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Canada. Saskatchewan OELs (Occ Components	cupational Health and Safety Ro Type	egulations, 1996, Table 21) Value	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	15 minute	10 mg/m3	
	8 hour	5 mg/m3	
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	15 minute	10 mg/m3	
	8 hour	5 mg/m3	
US. OSHA Table Z-1 Limits for Air Components	Contaminants (29 CFR 1910.10 Type	00) Value	Form
Components	-	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	PEL	3 mg/ms	

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	TWA	5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

Other As required by employer code. Wear suitable protective clothing.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Appearance

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Physical state

Form

Liquid

Color

Not available.

Odor

Petroleum

Odor threshold

pH

Not available.

Melting point/freezing point

Not available.

Initial boiling point and boiling

range

Not available.

Liquid

Pour point -22 °F (-30 °C)
Specific gravity Not available.
Partition coefficient Not available.

(n-octanol/water)

Flash point 400.1 °F (204.5 °C) Pensky-Martens Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available.

Not available.

Explosive limit - upper (%) Vapor pressure

Not available. Not available.

Relative density Solubility(ies)

Vapor density

0.8735 @ 15°C

Auto-ignition temperature
Decomposition temperature

Not available.

Negligible

Viscosity

5.4 cSt @ 100°C

32.9 cSt @ 40°C

10. Stability and reactivity

Reactivity

This product may react with strong oxidizing agents.

Possibility of hazardous

S

No dangerous reaction known under conditions of normal use.

reactions

Material is stable under normal conditions.

Avoid temperatures exceeding the flash point.

Conditions to avoid Incompatible materials

Chemical stability

Strong oxidizing agents.

Hazardous decomposition

or one of the

products

May include and are not limited to: Oxides of nitrogen. Oxides of sulfur. Oxides of phosphorus.

Oxides of carbon.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.

Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components Species Test Results

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 5.2 mg/L, 4 Hours, ECHA

Oral

LD50 Rat > 5000 mg/kg, ECHA

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 5.5 mg/L, 4 Hours, ECHA

Oral

Erythema value

LD50 Rat > 5000 mg/kg, ECHA

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Not available.

Exposure minutes Not available.

#30369 Page: 5 of 9 Issue date 05-October-2021

Not available. Oedema value

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available. Iris lesion value Not available. Not available. Conjunctival reddening

value

Not available.

Conjunctival oedema value Recover days Not available.

Respiratory or skin sensitization

Not available. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Contains < 3% (w/w) DMSO-extract Carcinogenicity

ACGIH Carcinogens

Distillates (petroleum), hydrotreated heavy paraffinic A2 Suspected human carcinogen.

(CAS 64742-54-7)

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS A2 Suspected human carcinogen.

64742-70-7)

California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1) Ethyl acrylate (CAS 140-88-5) Ethylene oxide (CAS 75-21-8) Propylene oxide (CAS 75-56-9)

Canada - Manitoba OELs: carcinogenicity

Distillates (petroleum), hydrotreated heavy paraffinic Suspected human carcinogen.

(CAS 64742-54-7)

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS Suspected human carcinogen.

64742-70-7)

IARC Monographs. Overall Evaluation of Carcinogenicity

Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity Distillates (petroleum), hydrotreated heavy paraffinic

(CAS 64742-54-7) to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

US NTP Report on Carcinogens: Known carcinogen

Distillates (petroleum), hydrotreated heavy paraffinic Known To Be Human Carcinogen.

(CAS 64742-54-7)

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS Known To Be Human Carcinogen.

64742-70-7)

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Not available. Not classified. Specific target organ toxicity -

single exposure

Specific target organ toxicity -Not classified.

repeated exposure

Not available. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

See below **Ecotoxicity**

Ecotoxicological data

Components **Species Test Results**

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

Crustacea Daphnia 1000 mg/L, 48 Hours

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available. Mobility in general Not available.

#30369 Page: 6 of 9 Issue date 05-October-2021 Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

IMDG (Marine Transport)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely

No

hazardous substance

No

chemical

SARA 313 (TRI reporting)

SARA 311/312 Hazardous

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

#30369 Page: 7 of 9 Issue date 05-October-2021

US - California Hazardous Substances (Director's): Listed substance

Distillates (petroleum), hydrotreated heavy paraffinic Listed.

(CAS 64742-54-7)

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy Listed.

(CAS 64742-70-7)

US - Minnesota Haz Subs: Listed substance

Distillates (petroleum), hydrotreated heavy paraffinic Listed.

(CAS 64742-54-7)

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy Listed. (CAS 64742-70-7)

US - Texas Effects Screening Levels: Listed substance

Distillates (petroleum), hydrotreated heavy paraffinic Listed.

(CAS 64742-54-7)

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy Listed.

(CAS 64742-70-7)

US. Massachusetts RTK - Substance List

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

US. Rhode Island RTK

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

US. California Proposition 65



WARNING: This product can expose you to chemicals including Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1)Listed: January 1, 1988Ethyl acrylate (CAS 140-88-5)Listed: July 1, 1989Ethylene oxide (CAS 75-21-8)Listed: July 1, 1987Propylene oxide (CAS 75-56-9)Listed: October 1, 1988

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene glycol (CAS 107-21-1) Listed: June 19, 2015 Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Ethylene oxide (CAS 75-21-8) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes


*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0







The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 05-October-2021

Version # 02

Effective date 05-October-2021

Prepared by Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Further information Not available.

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document. Other information

#30369 Page: 9 of 9 Issue date 05-October-2021